

Packaging approval = UN 4G/X2/S/03/NZ/IACP Ltd

DEADLY POISON

KEEP OUT OF REACH OF CHILDREN
HSNO CLASSES 6.1A, 6.8A, 6.9B, 9.1D, 9.3A, 9.4B.



5% 1080 GEL

Gel bait for foliage baiting
of wallabies.



Contains 50 g/kg sodium fluoroacetate in the form of a gel.

Acutely toxic. May be fatal if swallowed, inhaled or absorbed through the skin. Repeated exposure may damage fertility, the unborn child, and internal organs. When handling open containers or baits, wear full protective equipment as shown in precautions box below in order to avoid all skin and eye contact.

Very toxic to terrestrial animals and phyto-toxic to many plants. Take measures to reduce the risk to non-target animals which may either eat baits treated with the substance or which may scavenge the carcasses of poisoned animals.

Very toxic to aquatic life. Manage bait application rates carefully and comply with any restrictions imposed on placing baits over or near waterways. Avoid pollution of any water supply with the substance or used container.

Precautions: When handling open containers or laying the gel, wear overalls and impervious rubber or PVC gloves. Do not eat, drink or smoke when using the product or handling open containers. Wash protective clothing and equipment daily after work. Remove protective clothing and wash hands and exposed skin thoroughly before meals and after any contact.

Storage: Store in original container, tightly closed, under lock and key and away from feed or foodstuffs. Keep out of reach of children. This product must always be under the control of an approved handler who holds a current test certificate endorsed for class 6 and class 9 substances.

Symptoms of Poisoning: Early Symptoms: Nausea, vomiting, tingling and numbness in face and hands, stomach pains, apprehension and anxiety. Later Symptoms: Muscular twitching, blurred vision, mental confusion. Severe Symptoms: Coma, convulsions followed by death.

First Aid: Act immediately if poisoning is suspected. DO NOT induce vomiting. Call a doctor or emergency physician at your nearest hospital immediately. For further advice contact National Poisons Centre 0800 POISONS (Phone 0800 764 766)

DEADLY POISON

Directions for use: Select suitable palatable foliage, preferably broadleaf species with large waxy leaves. Smear gel on the underside of the leaves only, spreading the gel thinly with the nozzle of the tube. Tie down or cut treated foliage to ensure it lies within the browse range of target animals. 1080 is phyto-toxic and will cause leaves to brown off after a few days. Check baits after a few days and treat new foliage as required.

Legal obligations: This product must be sold only to or used by a person holding a Controlled Substances Licence issued by a test certifier who has been approved. Additional permissions may be required depending on method of use and location of use. Signs must be erected at every normal point of entry to the place where the substance is to be applied. Signs must remain in place until baits are retrieved or are no longer toxic, or until any other legal requirement affecting signage has been complied with. This product must only be used as specified in the label.

Livestock: It is extremely important to prevent access to gel baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been washed out by rain, removed or destroyed. Dogs and cats are particularly at risk from eating poisoned possum carcasses and pet owners in the immediate vicinity must be notified of this risk. Collect poisoned animal carcasses where practicable for disposal by burning or burying 500 mm deep, or limit access to the treatment area until carcasses are unlikely to be eaten or to contain residues.

Disposal: The best means of disposal is to use the product for its intended purpose. Dispose of surplus or spoiled gel through a sewage oxidation facility or other chemical treatment facility. Burn empty tubes in a very hot fire and bury the residue in a suitable location at a depth of at least 60 cm. Do not use the empty container for any other purpose.

Tracking: It is a legal requirement that this product is tracked using the unique pack identifiers for its full lifecycle, including date, location of its use or means of disposal.

Shelf life: Use the gel before the expiry date shown on the label. Any product held after the expiry date shown on the container should be disposed of according to label directions.

Conditions of sale: As no control can be exercised over the methods or conditions under which this product is used, no responsibility or claim, other than those required by statute, will be accepted for any damage or injury whatsoever arising from the storage, handling, application, use or disposal of this product.

Transport information: UN 2588, Packing Group I, Toxic 6.1, Hazchem: 2X

Registered to and manufactured by Animal Control Products Ltd,

408 Heads Road, Wanganui, New Zealand

Ph 64 6 344 5302. For safety data sheet go to:

<http://www.pestoff.co.nz/msdpage.htm>

Registered pursuant to the ACVM Act 1997, No.V003623

See <http://www.nzfsa.govt.nz/acvti> for conditions of registration.

Net Weight
500 Grams

WJS:H&A JULY 2008



Unique tracking number
on tube base