

PEST OFF!

Deadly effective

Waxed Possum Bait

Weather resistant bait
for poisoning of
Possums

- The bait professionals use
- Designed for New Zealand conditions

FOR USE ONLY IN BAIT STATIONS
CONTAINS 0.02G/KG BRODIFACOUM
IN THE FORM OF A BAIT
READ LABEL ON REVERSE BEFORE USE



Barry

10kg
net contents



WARNING: KEEP OUT OF REACH OF CHILDREN

READ LABEL CAREFULLY BEFORE USE

PESTOFF® WAXED POSSUM BAIT - Weather resistant bait for poisoning of possums

WARNING

May cause damage to organs and may reduce blood clotting ability through prolonged or repeated oral exposure. May cause long lasting harmful effects to aquatic life.

PRECAUTIONS

Do not breathe dust. Wear impervious gloves. Do not eat, drink or smoke when using this product. Wash hands and exposed skin thoroughly after handling. Prevent non-target animals being exposed to the toxin either directly or by eating carcasses of poisoned animals. Avoid release to the environment.

STORAGE

Store locked up. Keep out of the reach of children and domestic animals. Store in original container, tightly closed and away from direct sunlight, feed and foodstuffs.

EMERGENCY MANAGEMENT

Symptoms of Poisoning: Pale gums, passing of blood in urine or faeces, and the appearance of bruising. No symptoms may be apparent for several days.

FIRST AID

If exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. **0800 POISONS (Phone 0800 764 766)**. IF SWALLOWED DO NOT induce vomiting.

TREATMENT OF ACCIDENTALLY POISONED DOMESTIC ANIMALS

Consult a veterinarian. Vitamin K1 is an effective antidote.

SPILLAGE

Isolate spill area. Collect all spillage including fine materials into secure containers then wash area with copious water, making sure to prevent it from entering waterways.

DISPOSAL

Unused bait and containers should be disposed of in a landfill. Do not use empty container for any other purpose.

LEGAL OBLIGATIONS

Pestoff Waxed Possum Bait must only be used as specified in the label. If applied in areas where public has access, it is a legal requirement that signs be posted to notify the public Pestoff Waxed Possum Bait have been laid in the area. Signs must remain for a minimum of 12 months after the baits have been removed.

DIRECTIONS FOR USE

Be sure to place bait stations out of reach of children and non-target animals. Use only for possum control and apply only in bait stations. Place bait stations approximately 100 meters apart on shelter belts, bush/pasture margins or at a density of two bait stations per hectare in bush. Place 400 - 500 grams of Pestoff Waxed Possum Bait in each bait station. Possums will usually eat more bait than they need, so replace any bait eaten over the next 6 - 10 days. Repeat baiting only after 4 - 5 weeks. **To learn more about setting bait stations, visit: www.pestoff.co.nz/products/waxed**

RESIDUES WARNING

Exposure (when used on stocked land): By law, all practicable measures must be taken to minimise all access to baits by livestock, pets and other non target animals.

Carcasses: By law, access by livestock, pets and other non target animals must be prevented by collecting and burying or burning poisoned carcasses where practical, or necessary.

Do not feed possums killed with brodifacoum to dogs or cats or allow them to scavenge. In all instances when using this product, appropriate best practice guidelines must be followed, where these exist. Failure to comply with these label directions is an offence under the ACVM Act.

Feral Pigs/Pets Warning: The active ingredient is a potent second generation anticoagulant poison which can accumulate particularly in the liver, kidneys and fat of poisoned animals. Poisoned possums may be eaten by feral pigs and may cause significant brodifacoum residues to accumulate within their tissue. Warning signs must be erected to warn the public that brodifacoum has been used and that feral pigs may contain unacceptable brodifacoum residues.

CONDITIONS OF SALE

As Animal Control Products Ltd has no control over the methods or conditions Pestoff Waxed Possum Bait is used or stored, no responsibility or claim, other than those required by statute, will be accepted for any damage or injury whatsoever.

	REGISTERED TO AND MANUFACTURED BY: Animal Control Products Ltd (Trading as Orillion) 408 Heads Road, Whanganui, New Zealand www.orillion.co.nz
	DISTRIBUTED BY: Bell-Booth Ltd 15 Tiki Place, Palmerston North, New Zealand www.bell-booth.co.nz FREEPHONE 0800 80 90 91
	
Active ingredient: Contains 0.02g/kg brodifacoum in the form of a bait	
ACVM Registration No. V005136 HSNO Approval No. HSR001612	
HSNO GHS CLASSIFICATIONS: 6.9B Specific target organ toxicity (single exposure) Category 2 Specific target organ toxicity (repeated exposure) Category 2 9.1D Hazardous to the aquatic environment Category 4 Designed for biocidal action	
WARNING: KEEP OUT OF REACH OF CHILDREN	
See: www.foodsafety.govt.nz for registration conditions. For Safety Data Sheet go to: www.pestoff.co.nz	

**FOR MORE INFORMATION VISIT:
WWW.PESTOFF.CO.NZ**

