



DEADLY POISON



TOXIC AND ECOTOXIC - KEEP OUT OF REACH OF CHILDREN

0.10% 1080 FERAL CAT BAIT

BAIT IN PELLET FORM FOR USE ONLY BY THE DEPARTMENT OF CONSERVATION FOR POISONING OF FERAL CATS

Contains 1.0g/kg sodium fluoroacetate in the form of a bait

Acutely toxic. May be fatal if swallowed, inhaled or absorbed through the skin. Repeated oral exposure may cause reproductive or developmental damage. When handling open containers or baits, wear protective equipment as shown under precautions below.

Very toxic to terrestrial vertebrates. Take measures to reduce the risk of non-target animals being exposed to the toxin either through eating baits or by scavenging the carcasses of poisoned animals.

Harmful to aquatic organisms. Avoid pollution of any water supply with pellets or used container.

Symptoms of Poisoning: Early Symptoms: Nausea, vomiting, tingling and numbness in face and hands, stomach pains, apprehension and anxiety. Later Symptoms: Muscular twitching, blurred vision, mental confusion. Severe Symptoms: Coma, convulsions, death.

First Aid: Act immediately if poisoning is suspected. DO NOT induce vomiting. Call a doctor or emergency physician at your nearest hospital immediately. For further advice contact National Poisons Centre 0800 POISONS (Phone 0800 764 766).

Precautions: When handling open containers or laying baits, wear overalls worn outside rubber boots, and impervious rubber or PVC gloves. Do not eat, drink or smoke when using the product or handling open containers. Wash protective clothing and equipment daily after work. Remove protective clothing and wash hands and exposed skin thoroughly before meals and after any contact. Thoroughly wash implements and bait stations before removing them from the operational area.

Storage: Store in original container, tightly closed, under lock and key and away from feed or foodstuffs. Keep out of reach of children. This product must always be under the control of an approved handler who holds a current test certificate endorsed for class 6 and class 9 substances.

Spillage: In the event of major spills, inform the Fire Service and local health protection officers at your District Health Board or hospital. Isolate the spill area and exclude all bystanders. Take all practicable steps to manage any harmful effects of a spillage including preventing baits from entering streams or waterways. Scoop spilled baits into secure containers. Recover any undamaged bait for later use by placing in appropriately labelled containers and dispose of spoiled bait as directed below. Use a broom to collect fine material and wash down the spill area with copious water only after all spilled bait has been removed.

Conditions of Sale: As no control can be exercised over the methods or conditions under which this product is used, no responsibility or claim, other than those required by statute, will be accepted for any damage or injury whatsoever arising from the storage, handling, application, use or disposal of this product.

Disposal: The active ingredient sodium fluoroacetate is degraded through microbial activity and will decompose at temperatures above 200 degrees Celsius. It dilutes readily in water. Product which is surplus or spoiled should be disposed of by burying with other organic material on the active tip face of an appropriately managed landfill or buried within the biologically active layer of soil elsewhere within a secure area. Ensure that a good covering of earth is applied over the bait immediately to prevent access by scavenging birds. Avoid deep disposal or burying where groundwater contamination may occur. Alternatively, burn unwanted bait material in a suitably constructed and appropriately located incinerator and bury any residues as above. Treating the baits through a sewage oxidation facility or other chemical treatment facility is also an acceptable means of disposing of unwanted bait material where this is allowed by local by-laws and regulations. Burn empty bags or bury in a suitable location at a landfill at a depth of at least 60 cm. Do not use the empty container for any other purpose.

Directions for use: Baits should be laid carefully by hand in small heaps of 40 grams to 200 grams only or used in suitable weatherproof bait stations. Do not hand broadcast the bait. The distance between bait stations and quantity of bait laid will be dictated by terrain, and cat population density. Replace any bait which becomes spoiled by weather or mould.

Livestock: It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been washed out by rain, removed or destroyed. Dogs and cats are particularly at risk from eating poisoned possum and rodent carcasses and pet owners in the immediate vicinity must be notified of this risk. Collect poisoned animal carcasses where practicable for burning or burying at least 600 mm below ground, otherwise limit access to the treatment area until poisoned animal carcasses are unlikely to be eaten or to contain residues.

Legal obligations: This product must be sold only to or used by Department of Conservation personnel who hold a Controlled Substances Licence issued by a test certifier who has been approved. Additional permissions may be required depending on the method of use and location of use. Signs must be erected at every normal point of entry to the place where the substance is to be applied. Signs must remain in place until baits are retrieved or are no longer toxic, or until any other legal requirement affecting signage has been complied with. This product must only be used as specified in the label.

Tracking: It is a legal requirement that this product is tracked using the unique pack identifiers for its full lifecycle, including date, location of its use or means of disposal.

Shelf life: The shelf life of this product may vary according to the suitability of storage conditions. As a guide, it is recommended that the product be used within 3 months of date of manufacture as studies have shown that the palatability of bait may progressively decline after that time. Any product held after the expiry date shown on the bag should be disposed of according to label directions.

Transport information: UN 2588, Packing Group III, Toxic 6.1C, Hazchem: 2X

NET WEIGHT: 10 KILOGRAMS

HSNO Codes: 6.1C, 6.8A, 9.1D, 9.3B.

HSNO Approval Code: HSR002423

Registered to and Manufactured by

Animal Control Products Ltd

408 Heads Road, Whanganui

NEW ZEALAND

Phone 64 6 344 5302

For safety data sheet go to <http://www.pestoff.co.nz>

Registered pursuant to the ACVM Act 1997 No. V004107

See <http://www.foodsafety.govt.nz> for conditions of registration

PRF No:

Batch No:

Pack No:

Expiry Date



WJS MAR 2016